

Other models in this range:
 MAR 58 - MAR 78 - MAR 108
 MAR 208 - MAR 308
 Compact versions:
 MAR 56 - MAR 76 - MAR 106 - MAR 126
 MAR 206 - MAR 306


Scale Ice Maker Units up to 1000 Kg



ABS Ice Chute Cover: sold separately.



Gear box protection (hall effect)



Easy to remove water sump



Pulleys & belt system allows to modify ice thickness




Features

- Daily production up to 1000 Kg in 24 hr (@ 2 mm. ice thickness only)
- Scale ice machine, in "split system" version; evaporator only
- Storage bin not supplied, to be purchased separately
- To be connected to condensing unit or central cooling system (low temperature)
- AISI304 Stainless steel evaporator and ice scraper blade
- Redesigned evaporator compartment end-walls: polypropylene high density with "core" metal structure, adding sturdiness and hygiene
- Foodgrade ABS plastic water sump tray, easy remove for cleaning and sanitising
- Electromechanical control panel
- Electrical protections, rotation speed & reverse phase controls
- Low- water sensor protection
- Supplied w/expansion valve, solenoid valve, pressure regulating valve (KVP), heat exchanger
- Drive motor / gear reducer with V-Belt drive
- Storage bin thermostatic ice level sensor
- Stainless steel panels in scotch-brite finish, with rounded corners, easy to remove for maintenance


Accessories & Optional Features (to be specified upon order):

- Ice spout cover (COVERMARS0000)
- Ice chute extension 90cm (KICMAREXT0001)
- Double ice chute 65cm (KICMARDOUBL02)
- Infrared ice sensor (replaces the thermostatic ice level control) ICE SENSOR 0003
- UV lamp water sanitising system for bacterial control (KITUVLAMPMAR0)
- ON/OFF manual switch, with daily timer (KITTIMER0001)
- ON/OFF manual switch, with weekly programmable timer (KITTIMERSET01)


MAR 128 Technologies




MAR 128+BH1300 (sold separately)




MAR 128+BH1600 (sold separately)




MAR 128+B2250 (sold separately)



MAR 128+ITS1350 (sold separately)



MAR 128+HTS2250 (sold separately)



MAR 128+ICS2/ICS2 SL (sold separately)



MAR 128+RBCSTAND (sold separately)

	24h THICK ICE		10°C / 50°F NOMINAL ONLY	W, D, H [WxDxH mm] 906x813x520
	2 mm [kg] [lbs]	0,5 mm [kg] [lbs]		[WxDxH inches] 35 11/16 x 32 x 20 8/16
MAR 128	1000 2200	1450 3190		
MAR 128 SW	850 1870	1233 2713		



[v/Hz/ph]
400/50/3N



R 404 A



Humidity 2%

Ice scales are the coldest form of ice. Formed at -6° to -12°Celsius, they are very dry, containing less than 2% residual water. Scales look like fragments of glass, have an irregular shape and a thickness that can be adjusted at 1 or 2 mm.

This product qualifies for the following listings:



2 Years Warranty

Subject to certain limitations and exclusions

Certified ISO 9001:2000

www.scotsman-ice.it
www.scotsman-ice.com

Models and specifications are subject to change without notice.

